I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON THE DATE INDICATED BELOW.

BY:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of: Winston T. K. Cheng et al.

Conf No: 8832

Group Art Unit:

1632

Appln. No.:

10/820,777

Examiner:

Paul. T. Dowell

Filing Date: April 9, 2004

: Attorney Docket No.: 683884-2US

Title:

METHOD FOR PRODUCING BIOLOGICALLY ACTIVE HUMAN FACTOR

VIII IN THE MILK OF TRANSGENIC ANIMALS DRIVEN BY MAMMARY-SPECIFIC

EXPRESSION CASSETTES

DECLARATION OF CHUAN-MU CHEN UNDER 37 C.F.R. § 1.132

I, Chuan-Mu Chen, hereby declare as follows,

1. I am a joint inventor of the patent application No. 10/820,777 (hereinafter '777 application). As a Molecular Embryologist and a Professor of Department of Life Sciences and Institute of Biomedicine at the Chung Hsing University. My current research focuses on the area of gene regulation studies in preimplantation embryo genomes and tissue-specific gene expressions of transgenic animal generations for bio-pharmaceutical productions. I am also interested in researches in elucidating the alternative epigenetic modification of DNA methylation change in cancer biology and developmental biology. I have published more than 35 papers and 13 patent applications in embryonic research and cancer research fields ((see Annex I). I have been a reviewer for the Taiwan Government National Science Council (NSC) Research Program since 1998, and also an oversea reviewer for the Research Grants Council (RGC) of Hong Kong since 2002. Together with a leading Taiwan transgenic cloned animal research team, I have earned an honor of Taiwan President Agriculture Innovation Award in 2006.

- 2. In light of my background and my professional experience, I am qualified to clarify the enablement of the invention addressed in the '777 application. I believe based on my professional knowledge and experience that the recombinant human.clotting.new.org/ factor VIII (FVIII) and B-domain deleted human.clotting.new.org/ factor VIII (FVIII) and B-domain.clotting.new.org/ factor VIII (FVIII) and human.clotting.new.org/ factor VIII (FVIII) and <a hr
- 3. I am explaining the advantages and features of the production of rFVIII protein in the milk of transgenic animals according to the invention as follows:
- A. In the '777 application, the <u>stringent lactating-specific regulation sequence (2.0-kb) of alpha-lactalbumin gene from a high milk-producing Holstein cow</u> (as described in the "Transgenesis Constructions" section in the '777 application) with essentially transcriptional binding motifs, such as MPBF, ERRE, YY1, and MGF motifs was identified and first used in transgenic animals.
- B. In accordance with the '777 application, the transgenic animals as obtained had extremely high secretion signaling for leading rFVIII protein secreted into mammary alveoli, by constructing a nucleotide sequence of an artificial alpha-lactalbumin of 19-aa signal peptide sequence (SEQ ID: No. 1 and 13) or a nucleotide sequence encoding an artificial alpha-S1-casein of 15-aa signal peptide sequence (SEQ ID: No. 2 and 14), instead of the human FVIII gene encoding the intrinsic 19-aa signal peptides of human FVIII mentioned in the prior art references (as cited in the office action).
- C. In the '777 application, the <u>germline-transmitted transgenic mice</u>, <u>goats</u>, <u>pigs and cows harboring both full-length human FVIII and B domain-deleted rFVIII (SEQ ID: No. 15) in their genomes</u>, were and are expected to be successfully generated, which guaranteed a high level of rFVIII protein synthesis in the lactating mammary gland of the transgenic animals; and
- D. In accordance with the '777 application, the transgenic animals as obtained had a relatively high secretion of rFVIII protein in the milk of the transgenic animals, wherein the concentration of rFVIII protein (> 50 µg/mL) was 250-fold higher than that of normal

human plasma (0.2 μ g/mL), and the clotting activity was 13-fold higher than that of normal human plasma.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the '777 Application or any patent issued thereon.

Respectfully submitted,

June, 6, 2006	Ву:	Cuntle Clun	,
(Date)	•	Chuan-Mu Chen	

ANNEX I

Research Articles

- 1. K. Y. Chong, <u>C. M. Chen</u>, and K. B. Choo, 1993. Post-hybridization recovery of DNA from membrane filter for polymerase chain reaction (PCR) amplification. *BioTechniques* 14: 575-578. (SCI)
- 2. <u>C. M. Chen</u>, M. P. Shyu, L. C. Au, H. W. Chu, W. T. K. Cheng, and K. B. Choo, 1994. Analysis of deletion of the integrated HPV16 sequences in cervical cancer: a rapid multiplex PCR approach. *J. Med. Virol.* 44: 206-211. (SCI)
- 3. K. B. Choo, and <u>C. M. Chen</u>, 1994. Cellular genes and sequences disrupted by human papillomavirus integration in cervical cancer. *J. Cell. Biochem.* 18A: 224-225. (SCI)
- 4. <u>C. M. Chen*</u>, W. T. K. Cheng, and K. B. Choo, 1994. Structure analysis of transgenes in transgenic mice: evidence for frequent deletions, insertions and sequence aberrations. *Asian-Aus. J. Anim. Sci.* 7: 15-18. (SCI)
- 5. <u>C. M. Chen</u>, W. T. K. Cheng, and K. B. Choo, 1995. Frequent deletions and sequence aberrations at the transgene junctions of transgenic mice carrying the papillomavirus regulatory and the SV40 TAg gene sequences. *Transgenic Res.* 4: 52-59. (SCI)
- 6. K. B. Choo, <u>C. M. Chen</u>, C. N. Shen, and L. C. Au, 1995. Resolution of uncertainties in restriction maps of cosmid clones by "sequence stitching". *Anal. Biochem.* 288: 355-357. (SCI)
- 7. K. B. Choo, C. J. Huang, <u>C. M. Chen</u>, C. P. Han, and L. C. Au, 1995. Jun-B oncogene aberrations in cervical cancer cell lines. *Cancer Letters* 93: 249-253. (SCI)
- 8. J. C. Wu, K. B. Choo, <u>C. M. Chen</u>, T. Z. Chen, and S. D. Lee, 1995. Correlation of viral genotypes with outcomes of hepatitis D viral superinfection: genotyping by restriction fragment length polymorphism. *Lancet* 346: 939-941. (SCI)
- 9. J. C. Wu, <u>C. M. Chen</u>, I. J. Sheen, S. D. Lee, H. M. Tzeng, and K. B. Choo, 1996. Evidence of transmission of hepatitis D virus to spouses from sequence analysis of the viral genome. *Hepatology* 22: 1656-1660. (SCI)
- K. B. Choo, <u>C. M. Chen</u>, and W. T. K. Cheng. 1996. Molecular analysis of cellular loci disrupted by papillomavirus 16 integration in cervical cancer: frequent viral integration in topologically destabilized and transcriptionally active chromosomal regions. *J. Med. Virol.* 49: 15-22. (SCI)
- 11. J. C. Wu, <u>C. M. Chen</u>, T. Z. Chen, S. D. Lee, F. S. Yen, and K. B. Choo, 1996. Prevalence and type of precore hepatitis B virus mutants in hepatitis D virus superinfection and its clinical implications. *J. Infect. Dis.* 173: 457-459. (SCI)

- 12. M. F. Kuo, <u>C. M. Chen</u>, H. K. Hu, and W. T. K. Cheng. 1998. Integration and expression of porcine growth hormone gene after transfected into the mouse embryonic stem cells by retroviral vector. *J. Chin. Soc. Anim. Sci.* 27(1): 59-73.
- 13. W. T. K. Cheng, B. C. Chen, S. T. Chiou, and <u>C. M. Chen*</u>. 1998. Use of nonautologous microencapulated fibroblasts in growth hormone gene therapy to improve growth of midget swine. *Hum. Gene Ther.* 9: 1995-2003. (SCI)
- 14. <u>C. M. Chen</u>, C. L. Hu, C. H. Wang, C. M. Hung, H. K. Wu, K. B. Choo, and W. T. K. Cheng. 1999. Gender determination in single bovine blastomeres by polymerase chain reaction amplification of sex-specific polymorphic fragments in the amelogenin gene. *Mol. Reprod. Dev.* 54: 209-214. (SCI)
- 15. M. F. Kuo, <u>C. M. Chen</u>, H. K. Hu, and W. T. K. Cheng. 1999. The feasibleness of using mouse embryonic stem cells after retrovirus vector-PSN transfection to aggregate with mouse diploid and tetraploid embryos for production of transgenic mice. *J. Chin. Soc. Anim. Sci.* 28: 471-490.
- J. C. Wu, <u>C. M. Chen</u>, W. H. Tsai, T. Z. Chen, and S. D. Lee. 2000. Clinical and epidemiological implications of swine hepatitis E virus infection. *J. Med. Virol.* 60: 166-171. (SCI)
- 17. C. M. Hung, T. H. Hong, C. H. Hsu, and <u>C. M. Chen*</u>. 2000. Production of anti-insulin monoclonal antibody by a novel immunization protocol and its clinical application to ELISA of insulin. *J. Agri. Soci. China* 1: 343-352.
- 18. Winston T. K. Cheng, C. H. Lee, C. M. Hung, T. J. Chang, and <u>C. M. Chen*</u>. 2000. Growth hormone gene polymorphisms and growth performance traits in Duroc, Landrace and Tao-Yuan pigs. *Theriogenology* 54: 1225-1237. (SCI)
- 19. <u>C. M. Chen*</u>, Winston T. K. Cheng, Y. C. Chang, T. J. Chang, and H. L. Chen, 2000. Growth enhancement of fowls by dietary administration of recombinant yeast cultures containing enriched growth hormone. *Life Sci.* 67: 2103-2115. (SCI)
- 20. <u>C. M. Chen*</u>, Y. C. Chang, H. L. Chen, and W. T. K. Cheng. 2000. High-level expression of growth hormone in the methylotropic yeast and its application on growth improvement of fowls. *Asian-Aus. J. Anim. Sci.* 13: 158-161. (SCI)
- 21. G. J. R. Brock, T. H. M. Huang, <u>C. M. Chen</u>, and K. J. Johnson. 2001. A novel technique for the identification of CpG islands exhibiting altered methylation patterns (ICEAMP). *Nucl. Acids Res.* 29(24): e123. (SCI)
- 22. P. S. Yan, <u>C. M. Chen</u>, H. Shi, F. Rahmatpanah, S. H. Wei, C. W. Caldwell, and T. H. M. Huang. 2001. Disecting complex epigenetic alterations in breast cancer using CpG island microarrays. *Cancer Res.* 61: 8375-8380. (SCI)

- 23. J. C. Wu, <u>C. M. Chen</u>, T. Y. Chiang, W. H. Tsai, W. J. Jeng, I. J. Sheen, C. C. Lin, and X. J. Meng. 2002. Spread of hepatitis E virus among different-aged pigs: Two-year survey in Taiwan. *J. Med. Virol.* 66: 488-492. (SCI)
- 24. <u>C. M. Chen*</u>, C. H. Wang, S. C. Wu, C. C. Lin, S. H. Lin, and W. T. K. Cheng. 2002. Temporal and spatial expression of biologically active human factor VIII in the milk of transgenic mice driven by mammary-specific bovine α-lactalbumin regulation sequences. *Transgenic Res.* 11: 257-268. (SCI)
- 25. R. S. Gitan, H. Shi, <u>C. M. Chen</u>, P. S Yan, and T. H. M. Huang. 2002. Methylation-specific oligonucleotide microarray: A new potential for high-throughput methylation analysis. *Genome Res.* 12: 158-164. (SCI)
- 26. P. S. Yan, <u>C. M. Chen</u>, H. Shi, F. Rahmatpanah, S. H. Wei, and T. H. M. Huang. 2002. Applications of CpG island microarrays for high-throughput analysis of DNA methylation. *J. Nutri.* 132: 2430-2434. (SCI)
- 27. H. Shi, P. S. Yan, <u>C. M. Chen</u>, F. Rahmatpanah, C. Lofton-Day, C. W. Caldwell, and T. H. M. Huang. 2002. Expressed CpG island sequence tag microarray for dual screening of DNA hypermethylation and gene silencing in cancer cells. *Cancer Res.* 62: 3214-3220. (SCI)
- 28. S. H. Wei, C. M. Chen, G. Strathdee, J. Harnsomburana, C. R. Shyu, F. Rahmatpanah, H. Shi, S. W. Ng, P. S. Yan, K. P. Nephew, R. Brown, and T. H. M. Huang. 2002. Methylation microarray analysis of late-stage ovarian carcinomas distinguishes progression-free survival in patients and identifies candidate epigenetic markers. Clin. Cancer Res. 8: 2246-2252. (SCI)
- 29. <u>C. M. Chen</u>, H. L. Chen, T. H. C. Hsiau, A. H. A. Hsiau, H. Shi, G. J. R. Brock, S. H. Wei, C. W. Caldwell, P. S. Yan, and T. H. M. Huang. 2003. Methylation target array for rapid analysis of CpG island hypermethylation in multiple tissue genomes. *Am. J. Pathol.* 163: 37-45. (SCI)
- 30. H. Yang, <u>C. M. Chen</u>, P. S. Yan, T. H. M. Huang, H. Shi, M. Burger, I. Nimmrich, S. Maier, K. Berlin, and C. W. Caldwell. 2003. The androgen receptor gene is preferentially hypermethylated in follicular non-Hodgkin's lymphomas. *Clin. Cancer Res.* 9: 4034-4042. (SCI)
- 31. S. H. Tsai, <u>C. M. Chen</u>, C. S. Chang, and G. H. Chen. 2004. Effect of Helicobacter pylori infection on intragastric acidity in patients with reflux esophagitis. *J. Gastroenterol.* 39: 821-826. (SCI)
- 32. H. L. Chen, Y. W. Lai, C. C. Yen, Y. Y. Lin, C. Y. Lu, S. H. Yang, T. C. Tsai, C. W. Lin and <u>C. M. Chen*</u>. 2005. Production of recombinant porcine lactoferrin exhibiting antibacterial activity in methylotrophic yeast, *Pichia pastoris. J. Mol. Microbiol. Biotechnol.* 8: 141-149. (SCI)

- 33. S. H. Wei, T. C. Yip, and <u>C. M. Chen*</u>. 2005. Identifying clinicopathological association of DNA hypermethylation in cancers using CpG island microarrays. In: DNA Methylation and Cancer Therapy. M. Szyf, *Kluwer Academic*. NY, USA. p.107-116.
- 34. C. J. Hu, S. D. Chen, D. I. Yang, T. N. Lin, <u>C. M. Chen</u>, T. H. M. Huang and C. Y. Hsu. 2006. Promoter region methylation and reduced expression of thrombospondin-1 after oxygen-glucose deprivation in murine cerebral endothelial cells. *J. Cereb. Blood Flow Metabol.* (accepted) (SCI)
- 35. C. C. Yen, S. H. Yang, C. Y. Lin, and <u>C. M. Chen*</u>. 2006. Stem cells in the lung parenchyma and prospects for lung injury therapy. *Euro. J. Clin. Invest.* (accepted) (SCI).
- 36. H. L. Chen, C. C. Yen, C. Y. Lu, C. H. Yu, and <u>C. M. Chen*</u>. 2006. Synthetic porcine lactoferricin with 20-residue peptide exhibits antimicrobial activity against *Escherichia coli*, *Staphylococcus aureus* and *Candida albicans J. Agri. Food Chem.* (accepted) (SCI).
- 37. H. L. Chen, C. C. Yen, T. C. Tsai, Y. W. Lai, C. H. Yu, and <u>C. M. Chen*</u>. 2006. Production and characterization of human extracellular superoxide dismutase (ECSOD) in methylotrophic yeast, *Pichia pastoris*. *Appl. Envi. Microbiol.* (accepted) (SCI).
- 38. <u>C. M. Chen*</u>, W. T. K. Cheng, C. C. Chang, Y. N. Jiang, J. T. Hsu, and T. J. Chang, 2005. Cloning, cDNA sequence, and alternative splicing of goat amelogenin mRNAs. *Gene* (in revised)
- 39. H. S. Chang, <u>C. M. Chen</u>, C. H. Ke, and W. T. K. Cheng. 2005. MZFG-1, a novel gene encoding the zinc finger domains specifically expression in mouse pre-implantation embryos and adult genital organs. *Mol. Reprod. Dev.* (in revised)
- 40. <u>C. M. Chen*</u>, W. Lin, S. H. Yang, T. C. Tsai, and H. S. Chang, 2005. *Granzyme G*, encoding a serine protease, expressed in two-cell stage of mouse fertilized egg that extremely affects early embryonic development. (submitted)
- 41. <u>C. M. Chen*</u>, C. C. Lin, S. H. Yang, W. C. Huang, and H. Naim, 2006. Identification of novel membrane anchor-less extracellular lactase-phlorizin hydrolase (ecLPH) with lactose hydrolysis activity from human intestinal epithium cells (in submission).
- 42. W.T.K. Cheng, S. Y. Pai, C. H. Hsu and <u>C.M. Chen*</u>. 2006. Oral tolerance of allergic airway inflammation and hyper-reactivity by transgenic milk delivering dust mite *DerpV* allergen (in submission).
- 43. S. Y. Pai, C. H. Hsu, S. H. Yang, W. T. K. Cheng, and <u>C.M. Chen*</u>. 2006. Desensitivity therapy of allergic airway inflammation and hyper-reactivity by mammary specific expression system of transgenic milk delivering dust mite *DerpII* allergen (in submission).